(d) a nucleic acid that hybridizes to a polynucleotide consisting of SEQ ID NO:1, the complement thereof, or the cDNA contained in ATCC Deposit No. 75874 under hybridization conditions comprising hybridization in a wash buffer consisting of 0.2XSSC and 0.1% SDS at 60°C;

- (e) a nucleic acid sequence comprising 30 contiguous nucleotides of SEQ ID NO:1 or the complement thereof; and
- (f) a nucleic acid sequence comprising 50 contiguous nucleotides of SEQ ID NO:1 or the complement thereof.
- 116. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (a).
- 117. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (b).
- 118. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (c).
- 119. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (d).
- 120. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (e).
 - 121. (New) The isolated polynucleotide of claim 115, wherein said nucleic acid is (f).
- 122. (New) An isolated nucleic acid molecule comprising a first polynucleotide at least 90% identical to a second polynucleotide selected from the group consisting of:
- (a) a second polynucleotide encoding a polypeptide fragment of SEQ ID NO:2, wherein said fragment possesses endothelial cell proliferative activity;
- (b) a second polynucleotide encoding a polypeptide fragment encoded by the cDNA sequence included in ATCC Deposit No: 75874, wherein said fragment possesses endothelial cell proliferative activity;

1

09/037,460

- (c) a second polynucleotide encoding a polypeptide fragment of SEQ ID NO:2, wherein said fragment binds an antibody having specificity for the polypeptide of SEQ ID NO:2;
- (d) a second polynucleotide encoding a polypeptide fragment encoded by the cDNA sequence included in ATCC Deposit No: 75874, wherein said fragment binds an antibody having specificity for the polypeptide of SEQ ID NO:2;
- (e) a second polynucleotide encoding a polypeptide fragment comprising at least 50 contiguous amino acid residues of SEQ ID NO:2; and
- (f) a second polynucleotide encoding a polypeptide fragment comprising at least 50 contiguous amino acid residues encoded by the coding sequence contained in the cDNA in ATCC Deposit No. 75874.
- 123. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (a).
- 124. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (a).
- 125. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (a).
- 126. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (b).
- 127. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (b).
- 128. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (b).
- 129. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (c).



- 130. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (c).
- 131. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (c).
- 132. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (d).
- 133. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (d).
- 134. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (d).
- 135. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (e).
- 136. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (e).
- 137. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (e).
- 138. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 90% identical to (f).
- 139. (New) The isolated nucleic acid molecule of claim 122 comprising a first polynucleotide at least 95% identical to (f).
- 140. (New) The isolated nucleic acid molecule of claim 122 comprising second polynucleotide (f).

21

- 141. (New) The isolated nucleic acid molecule of claim 122 further comprising a heterologous polynucleotide.
- 142. (New) A recombinant vector comprising the isolated nucleic acid molecule of claim 122.
- 143. (New) A method of producing a vector comprising inserting the isolated nucleic acid molecule of claim 122 into a vector.
 - 144. (New) A host cell comprising the vector of claim 142.
- 145. (New) A host cell comprising the isolated nucleic acid molecule of 122 operably associated with a heterologous regulatory sequence.
- 146. (New) A method of producing the host cell of claim 144, comprising transducing, transforming or transfecting the host cell with the vector of claim 142.
 - 147. (New) A method of producing a polypeptide comprising:
- (a) culturing the host cell of claim 144 under conditions such that the polypeptide is expressed; and
 - (b) recovering said polypeptide.
 - 148. (New) A method of producing a polypeptide comprising:
- (a) culturing the host cell of claim 145 under conditions such that the polypeptide is expressed; and
 - (b) recovering said polypeptide.
- 149. (New) An isolated nucleic acid molecule encoding an amino acid molecule comprising a first polypeptide at least 90% identical to a second polypeptide selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:2, wherein said fragment possesses endothelial cell proliferative activity;

09/037,460

- (b) a polypeptide fragment encoded by the cDNA sequence included in ATCC Deposit No: 75874, wherein said fragment possesses endothelial cell proliferative activity;
- (c) a polypeptide fragment of SEQ ID NO:2, wherein said fragment binds an antibody having specificity for the polypeptide of SEQ ID NO:2;
- (d) a polypeptide fragment encoded by the cDNA sequence included in ATCC Deposit No: 75874, wherein said fragment binds an antibody having specificity for the polypeptide of SEQ ID NO:2;
- (e) a polypeptide fragment comprising at least 50 contiguous amino acid residues of SEQ ID NO:2; and
- (f) a polypeptide fragment comprising at least 50 contiguous amino acid residues encoded by the coding sequence contained in the cDNA in ATCC Deposit No. 75874.
- 150. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (a).
- 151. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (a).
- 152. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising (a).
- 153. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (b).
- 154. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (b).
- 155. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising polypeptide (b).
- 156. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (c).



- 157. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (c).
- 158. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising polypeptide (c).
- 159. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (d).
- 160. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (d).
- 161. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising polypeptide (d).
- 162. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (e).
- 163. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (e).
- 164. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising polypeptide (e).
- 165. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 90% identical to (f).
- 166. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising a first polypeptide at least 95% identical to (f).
- 167. (New) The isolated nucleic acid molecule of claim 149 encoding an amino acid molecule comprising polypeptide (f).



- 168. (New) The isolated nucleic acid molecule of claim 149 further comprising a heterologous polynucleotide.
- 169. (New) A recombinant vector comprising the isolated nucleic acid molecule of claim 149.
- 170. (New) A method of producing a vector comprising inserting the isolated nucleic acid molecule of claim 149 into a vector.
 - 171. (New) A host cell comprising the vector of claim 149.
- 172. (New) A host cell comprising the isolated nucleic acid molecule of 149 operably associated with a heterologous regulatory sequence.
- 173. (New) A method producing the host cell of claim 171, comprising transducing, transforming or transfecting the host cell with the vector of claim 169.
 - 174. (New) A method of producing a polypeptide comprising:
- (a) culturing the host cell of claim 171 under conditions such that the polypeptide is expressed; and
 - (b) recovering said polypeptide.
 - 175. (New) A method of producing a polypeptide comprising:
- (a) culturing the host cell of claim 172 under conditions such that the polypeptide is expressed; and
 - (b) recovering said polypeptide.--

Remarks

Claims 54-67, 75-92, 102-107, and 115-208 are pending. Claims 54-67, 75-92 and 102-107 have been allowed. Claims 108-112 have been cancelled and new claims 115-175 have been added